

**Aerfast Spray oil 8610 / 8611**

Date 12.8.2015

Previous date: 7.8.2015

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier****1.1.1 Commercial Product Name**

Aerfast Spray oil 8610 / 8611

**1.1.2 Product code**

8610 / 8611

**1.2 Relevant identified uses of the substance or mixture and uses advised against****1.2.1 Recommended use**

Lubricant

**1.3 Details of the supplier of the safety data sheet****1.3.1 Supplier**

Aerfast Ab

**P.O.Box**

Box 114

**Postcode and post office**

64522 Strängnäs

Sverige

**Telephone**

00 46 152 170 50

**Email**

aholmen@aerfast.se

**1.4 Emergency telephone number****1.4.1 Telephone number, name and address**

09-471 977 tai 09-4711 Myrkytystietokeskus / HUS

PL 340 (Haartmaninkatu 4), 00029 HUS (Helsinki)

**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****1272/2008 (CLP)**

Flam. Aerosol 1, H222

Flam. Gas 1, H229

Skin Irrit. 2, H315

STOT SE 3, H336

Aquatic Chronic 2, H411

**67/548/EEC - 1999/45/EC**

F+, Xi, N; R12-38-51/53

**2.2 Label elements****1272/2008 (CLP)**

GHS09 - GHS07 - GHS02

Signal word **Danger****Hazard Statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary Statements**

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.



**Aerfast Spray oil 8610 / 8611**

Date 12.8.2015

Previous date: 7.8.2015

P251 Pressurized container: Do not pierce or burn, even after use.  
 P262 Do not get in eyes, on skin, or on clothing.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**2.3 Other hazards****3. COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Hazardous components**

<b>CAS/EC and Reg. number</b>	<b>Chemical name of the substance</b>	<b>Concentration</b>	<b>Classification</b>
64742-49-0 265-151-9	Naphtha (petroleum),hydrotreatedlight	30-40%	CLP:Flam.Liq. 2; H225 R 12 Skin.Irrit. 2; H315 R 38 STOT SE 3; H336 R 67 Asp.tox 1; H304 R 65 Aquatic Chronic 2; H411 R 51/53
106-97-8 200-857-2	butan	10-20%	F+; R12 ;Flam. Gas 1, H220; Press. Gas
74-98-6 200-827-9	propan	10-20%	F+; R12 ;Flam. Gas 1, H220; Press. Gas
63148-62-9	Polydimetyylisiloksan	25-30%	-

**4. FIRST AID MEASURES****4.1 Description of first aid measures**

Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

**4.1.2 Inhalation**

In the case of inhalation of aerosol/mist consult a physician if necessary.

**4.1.3 Skin contact**

Get medical attention if symptoms occur.

**4.1.4 Eye contact**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

**4.1.5 Ingestion**

If swallowed, call a poison control centre or doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

Aspiration hazard if swallowed - can enter lungs and cause damage.

**4.3 Indication of immediate medical attention and special treatment needed**

Aspiration hazard

**5. FIREFIGHTING MEASURES****5.1 Extinguishing media****5.1.1 Suitable extinguishing media**

Alcohol-resistant foam

**Aerfast Spray oil 8610 / 8611**

Date 12.8.2015

Previous date: 7.8.2015

**5.1.2 Extinguishing media which must not be used for safety reasons**

Do NOT use water jet.

**5.2 Special hazards arising from the substance or mixture**

Explosive reaction may occur on heating or burning.

**5.3 Advice for firefighters**

Alcohol-resistant foam

**5.4 Specific methods**

Immediately evacuate personnel to safe areas.

**6. ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Prevent unauthorised persons entering the zone. Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.

**6.2 Environmental precautions**

Prevent product from entering drains.

**6.3 Methods and materials for containment and cleaning up**

not determined

**6.4 Reference to other sections**

not determined

**7. HANDLING AND STORAGE****7.1 Precautions for safe handling**

Do not use in areas without adequate ventilation. No sparking tools should be used. Do not taste or swallow. Do not spray on a naked flame or any incandescent material. Do not smoke. Do not empty into drains. Do not store near combustible materials. Take precautionary measures against static discharges. Prevent vapour buildup by providing adequate ventilation during and after use.

**7.2 Conditions for safe storage, including any incompatibilities**

Do not store near combustible materials. Storage of flammable liquids

**7.3 Specific end use(s)**

not determined

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters****8.1.1 Threshold limits**

106-97-8	butan	800 ppm (8 h)	1000 ppm (15 min)
		1900 mg/m <sup>3</sup> (8 h)	2350 mg/m <sup>3</sup> (15 min)
74-98-6	propan	800 ppm (8 h)	1100 ppm (15 min)
		1500 mg/m <sup>3</sup> (8 h)	2000 mg/m <sup>3</sup> (15 min)
64742-49-0	Naphtha(petroleum), hydrotreatedlight	500 ppm (8 h)	630 ppm (15 min)
		1800 mg/m <sup>3</sup> (8 h)	2300 mg/m <sup>3</sup> (15 min)

**8.1.2 Other information on limit values**

There is no data available for this product.

**8.1.3 Limit values in other countries**

There is no data available for this product.

**8.1.4 DNELs**

There is no data available for this product.

**Aerfast Spray oil 8610 / 8611**

Date 12.8.2015

Previous date: 7.8.2015

- 8.1.5 PNECs**  
There is no data available for this product.
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls**  
not determined
- 8.2.2 Individual protection measures**
- 8.2.2.1 Respiratory protection**  
Provide adequate ventilation. Do not inhale aerosol. Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached.
- 8.2.2.2 Hand protection**  
It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.
- 8.2.2.3 Eye/face protection**  
Avoid contact with the skin and the eyes.
- 8.2.2.4 Skin protection**  
Avoid contact with the skin and the eyes.
- 8.2.3 Environmental exposure controls**  
There is no data available for this product.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- 9.1 Important Health Safety and Environmental Information**
- 9.1.1 Appearance**  
aerosol
- 9.1.2 Odour** hydrocarbon-like
- 9.1.3 Odour threshold** not determined
- 9.1.4 pH** 7
- 9.1.5 Melting point/freezing point** -10°C
- 9.1.6 Initial boiling point and boiling range** < -20 °C
- 9.1.7 Flash point** < 0 °C
- 9.1.8 Evaporation rate** not determined
- 9.1.9 Flammability (solid, gas)** Extremely flammable.
- 9.1.10 Explosive properties**
- 9.1.10.1 Lower explosion limit** 2,3 til-%
- 9.1.10.2 Upper explosion limit** 9,5 til-%
- 9.1.11 Vapour pressure** There is no data available for this product.
- 9.1.12 Vapour density** There is no data available for this product.
- 9.1.13 Relative density** There is no data available for this product.
- 9.1.14 Solubility(ies)**
- 9.1.14.1 Water solubility** insoluble
- 9.1.14.2 Fat solubility (solvent - oil to be specified)** Soluble in hydrocarbons
- 9.1.15 Partition coefficient: n-octanol/water** There is no data available for this product.
- 9.1.16 Auto-ignition temperature** There is no data available for this product.
- 9.1.17 Decomposition temperature** There is no data available for this product.
- 9.1.18 Viscosity** There is no data available for this product.
- 9.1.19 Explosive properties** There is no data available for this product.

**Aerfast Spray oil 8610 / 8611**

Date 12.8.2015

Previous date: 7.8.2015

- 9.1.20 Oxidising properties** There is no data available for this product.
- 9.2 Other information**

**10. STABILITY AND REACTIVITY**

- 10.1 Reactivity**  
Exposure to sunlight.
- 10.2 Chemical stability**  
Stable
- 10.3 Possibility of hazardous reactions**  
There is no data available for this product.
- 10.4 Conditions to avoid**  
Do not expose to temperatures above 50 °C.
- 10.5 Incompatible materials**  
No data is available on the product itself.
- 10.6 Hazardous decomposition products**  
No data is available on the product itself.

**11. TOXICOLOGICAL INFORMATION**

- 11.1 Information on toxicological effects**  
No data is available on the product itself.
- 11.1.1 Acute toxicity**  
LD50/oral/rat =>5840 mg/kg OECD Test Guideline 401  
LC50/inhalation/ 4 h/rat =>23.3 mg/LOECD OECD Test Guideline 403  
LD50/dermal/rat ==>2920 mg/kg OECD Test Guideline 402
- 11.1.2 Irritation and corrosion**  
Solvents may degrease the skin. Prolonged skin contact may cause skin irritation.
- 11.1.3 Sensitisation**  
No data is available on the product itself.
- 11.1.4 Subacute, subchronic and prolonged toxicity**  
No data is available on the product itself.
- 11.1.5 STOT-single exposure**  
Aspiration hazard
- 11.1.6 STOT-repeated exposure**  
Aspiration hazard
- 11.1.7 Aspiration hazard**  
Aspiration hazard if swallowed - can enter lungs and cause damage.
- 11.1.8 Other information on acute toxicity**  
No data is available on the product itself.

**12. ECOLOGICAL INFORMATION**

- 12.1 Toxicity**
- 12.1.1 Aquatic toxicity**  
LC50/96h/rainbow trout =13.4mg/L (OECD 203)

Voi aiheuttaa pitkäaikaisia haittavaikutuksia vesiympäristössä.

**Aerfast Spray oil 8610 / 8611**

Date 12.8.2015

Previous date: 7.8.2015

- 12.2 Persistence and degradability**
- 12.2.1 Biodegradation**  
There is no data available for this product.
- 12.2.2 Chemical degradation**  
There is no data available for this product.
- 12.3 Bioaccumulative potential**  
There is no data available for this product.
- 12.4 Mobility in soil**  
There is no data available for this product.
- 12.5 Results of PBT and vPvB assessment**
- 12.6 Other adverse effects**

**13. DISPOSAL CONSIDERATIONS**

- 13.1 Waste treatment methods**  
Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.
- 13.2 Waste from residues / unused products**  
There is no data available for this product.

**14. TRANSPORT INFORMATION**

- 14.1 UN number** 1950
- 14.2 UN proper shipping name** Aerosols
- 14.3 Transport hazard class(es)** 2.1
- 14.4 Packing group** 2
- 14.5 Environmental hazards** May cause long-term adverse effects in the aquatic environment.
- 14.6 Special precautions for users**
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

**15. REGULATORY INFORMATION**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
2B - Aerosols
- 15.2 Chemical safety assessment**

**16. OTHER INFORMATION**

- 16.1 Additions, Deletions, Revisions**  
REGULATION (EC) No 453/2010
- 16.5 List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements**
- R12 Extremely flammable.
- R38 Irritating to skin.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed.
- 16.8 Additional information available from:**  
aholmen@aerfast.se